


# EC PACK INDUSTRIAL LIMITED

Unit 608, 6/Floor, Albion Plaza, No.2-6 Granville Road, TST, Kowloon, Hong Kong  
Tel: (852) 2957 8208 Fax : (852) 2957 8202 E-Mail: hk@ec-packing.com


## Blow Mould Platen Dimension



# EC PACK INDUSTRIAL LIMITED

Unit 608, 6/Floor, Albion Plaza, No.2-6 Granville Road, TST, Kowloon, Hong Kong

Tel: (852) 2957 8208 Fax : (852) 2957 8202 E-Mail: hk@ec-packing.com



"\*" : non usare con SgancioRapidoStampi  
 "\*" : do not use with QuickMouldsChange

SPESS. STAMPO MIN. 130x2 mm.  
 MIN. MOULD THICKNESS 130x2 mm.

MAX.MOULD HEIGHT 405 WITH BLOW UNIT DOWN

BLOW MOULDING MACHINES		NUOVI IMPIANTI	A4	SCALA 1 : 4
SCHEMA FORATURA STAMPO AT5 M/D				
MOULD FIXING HOLES PLUS AT-5M/D				
DISEGN. DIMEC	MODIFIC. C.C.	LE QUOTE POTRANNO SUBIRE VARIAZIONI DOVUTE A FUNZIONALITA' DI PRODUZIONE		021663000
DATA 06/94	DATA 04/96			

# EC PACK INDUSTRIAL LIMITED

Unit 608, 6/Floor, Albion Plaza, No.2-6 Granville Road, TST, Kowloon, Hong Kong  
Tel: (852) 2957 8208 Fax : (852) 2957 8202 E-Mail: hk@ec-packing.com

---

